1.1.1	Untreated caries prevalence by gender and age group4
1.1.2	Untreated caries prevalence by federal poverty level and race/ethnicity by age group
1.1.3	Untreated caries prevalence by education and age group 5
1.2.1	Decayed, missing, and filled surfaces in permanent teeth (DMFS) by age group (ages 6-8, 12-15, and 35-44 years) and gender
1.2.2	Decayed, missing, and filled surfaces in permanent teeth (DMFS) by age group (ages 6-8, 12-15, and 35-44 years) and race/ethnicity 8
1.2.3	Decayed, missing, and filled surfaces in permanent teeth (DMFS) by age group (ages 6-8, 12-15, and 35-44 years) and federal poverty level 9
1.2.4	Decayed and filled surfaces in primary teeth (dfs) by age group (ages 2-4 and 6-8 years) and gender
1.2.5	Decayed and filled surfaces in primary teeth (dfs) by age group (ages 2-4 and 6-8 years) and race/ethnicity
1.2.6	Decayed and filled surfaces in primary teeth (dfs) by age group (ages 2-4 and 6-8 years) and federal poverty level
1.3.1A	Trends in primary dentition untreated dental caries prevalence by age group
1.3.1B	Trends in primary dentition untreated dental caries prevalence by age group and gender
1.3.1C	Trends in primary dentition untreated dental caries prevalence by age group and race/ethnicity
1.3.1D	Trends in primary dentition untreated dental caries prevalence by age group and federal poverty level
1.3.2A	Trends in permanent dentition untreated dental caries prevalence by age group
1.3.2B	Trends in permanent dentition untreated dental caries prevalence by age group and gender
1.3.2C	Trends in permanent dentition untreated dental caries prevalence by age group and race/ethnicity
1.3.2D	Trends in permanent dentition untreated dental caries prevalence by age group and federal poverty level

vi Oral Health U.S., 2002

2.1.1	Percentage of children with dental sealants on 1st or 2nd molars by age group, race/ethnicity, and federal poverty level
2.1.2	Percentage of children with dental sealants on 1st or 2nd molars by age group, race/ethnicity, and federal poverty level
2.2.1	Fluoridation growth by population in the United States
2.2.2A	Percentage of U.S. population on public water systems
2.2.2B	Percentage of U.S. population on public water systems receiving fluoridated water
2.2.3	Percentage of population receiving fluoridated water through public water systems—10 highest and 10 lowest states, 2000
3.1.1	Prevalence of gingival bleeding among adults aged 20 and older by selected demographic characteristics
3.2.1	Prevalence of loss of attachment of 4 mm or more among adults aged 20 and older by age and race/ethnicity
3.2.2	Prevalence of loss of attachment of 4 mm or more among adults aged 20 and older by selected characteristics
4.1.1	Percentage of adults aged 18 and older with full dentition by demographic variables
4.1.2	Percentage of adults aged 18 and older with full dentition by race/ethnicity and federal poverty level
4.1.3	Percentage of adults aged 18 and older with full dentition by annual family income
4.2.1	Percentage of adults aged 20 and older with 21 or more teeth by age and race/ethnicity
4.2.2	Percentage of adults aged 50 and older with 21 or more teeth by education
4.2.3	Percentage of adults aged 50 and older with 21 or more teeth by race/ethnicity and federal poverty level
4.3.1	Prevalence of edentulism by selected demographic characteristics 36
4.3.2	Prevalence of edentulism by annual family income and age
4.4.1	Prevalence of denture use among edentulous adults by race/ethnicity, federal poverty level, and education

Oral Health U.S., 2002

5.1.1	Percentage of adults aged 18 and older with a self-assessed oral health status of good or better by race/ethnicity, federal poverty level, and education
5.1.2	Percentage of adults aged 18 and older with a self-assessed oral health status of good or better by smoking status and dental visits
6.1.1	Prevalence of oral infections and benign lesions by race/ethnicity among adults aged 18 and older
6.1.2	Prevalence of oral infections and benign lesions by education among adults aged 18 and older
7.1.1	Percentage of the U.S. population that visited a dentist within the past year by age group
7.1.2	Percentage of the U.S. population that visited a dentist within the past year by selected demographics
7.3.1	Percentage of children aged 18 years and younger who received preventive dental services during 1997 by type of service and federal poverty level 52
7.3.2	Percentage of children aged 18 years and younger who received any preventive dental services during 1997 by race/ethnicity and federal poverty level
7.3.3	Percentage of children aged 18 years and younger who received any preventive dental services during 1997 by insurance status and federal poverty level
7.4.1	Percentage of schools that provided oral health screening
7.5.1	Percentage of community-based health centers offering various types of dental care services on-site, 2001
7.5.2	Employment status of dental employees at community-based health centers 58
7.6.1	Map of states with full-time dental directors, 2000
7.7.1	Percentage of adults with a usual source of dental care by age, 1971-197562
7.7.2	Percentage of adults with a usual source of dental care by selected demographics, 1971–1975
7.8.1	Percentage of the population who received preventive dental services during 1997 by type of service and race/ethnicity
7.8.2	Percentage of the population who received preventive dental services during 1997 by type of service and federal poverty level

viii Oral Health U.S., 2002

7.8.3	Percentage of the population who received preventive dental services during 1997 by type of service and insurance status
7.9.1	Percentage of adults who did not visit a dentist within the past 12 months due to cost by age
7.9.2	Percentage of adults who did not visit a dentist within the past 12 months due to cost by gender
7.9.3	Percentage of adults who did not visit a dentist within the past 12 months due to cost by income
9.1.1	Prevalence of congenital malformations by race/ethnicity
10.1.1	Percentage of adults aged 20 and older with chronic orofacial pain by age group
10.1.2	Percentage of adults aged 20 and older with chronic orofacial pain by gender
10.1.3	Percentage of adults aged 20 and older with jaw joint pain by race/ethnicity and federal poverty level
10.2.1	Percentage of adults aged 20 and older with acute orofacial pain by age group
10.2.2	Percentage of adults aged 20 and older with tooth pain by race/ethnicity, federal poverty level and education
10.2.3	Percentage of adults aged 20 and older with mouth sores by race/ethnicity and education
11.1.1	Craniofacial injuries among emergency room visits by selected demographic characteristics
12.1.1	Smokeless tobacco lesions among 12- to 17-year-olds by selected demographic characteristics
12.1.2	Smokeless tobacco lesions among adults aged 18 and older by selected demographic characteristics
12.2.1	Trends in prevalence of current eigarette smoking among U.S. high school students by race/ethnicity
12.2.2	Trends in prevalence of current eigarette smoking among U.S. high school students by gender
12.2.3	Trends in prevalence of current cigarette smoking among U.S. adults 97

Oral Health U.S., 2002

13.1.1	Incidence rates for oral and pharyngeal cancers (1992-1997)
13.1.2	Incidence rates for oral and pharyngeal cancers (1992-1997) by stage at diagnosis and race/ethnicity
13.1.3	Incidence rates for oral and pharyngeal cancers (1992-1997) by stage at diagnosis and gender
13.1.4	Incidence rates for oral and pharyngeal cancers (1992-1997) by age group
13.2.1	Percentage of adults aged 40 and older who reported having had an oral cancer examination in the past year
13.2.2	Trends in percentage of adults aged 40 and older who reported having had an oral cancer examination in the past year by race/ethnicity
13.3.1	Oral and pharyngeal cancer deaths (per 100,000) in 1998 by race/ethnicity, gender, and education
13.4.1	Incidence rates for oral and pharyngeal cancers by sites
13.4.2	Incidence rates for oral and pharyngeal cancers by site and stage at diagnosis
13.4.3	Incidence rates for oral and pharyngeal cancers by site and race
13.4.4	Incidence rates for oral and pharyngeal cancers by site and gender
14.1.1	Prevalence of reported xerostomia among subjects aged 20 to 80 years by number of medications taken
15.1.1	Percentage of persons with diabetes among adults aged 30 and older by age group and race/ethnicity
15.2.1	Percentage of dentate adults aged 50 and older with and without diabetes who visited a dentist within the past year by race/ethnicity and gender 123
15.2.2	Percentage of dentate adults aged 50 and older with and without diabetes who visited a dentist within the past year by federal poverty level and education
15.4.1	Prevalence of osteoporosis per 100 persons aged 45 and older by race/ethnicity and education
16.1.1	Insurance coverage among adults aged 18 and older by age
16.1.2	Insurance coverage among adults aged 18 and older by selected demographic characteristics

V Oral Health U.S., 2002

16.1.3	Insurance coverage among adults aged 18 and older by annual family income 133
16.2.1	Trends in annual per capita costs for dental services by year and source of payment, 1960-1999
16.2.2	Mean annual dental care expense by age group and source of payment, 1977, 1987, and 1996
16.2.3	Mean annual dental care expense by race/ethnicity and source of payment, 1977, 1987, and 1996
16.2.4	Mean annual dental care expense by source of payment and federal poverty level, 1977, 1987, and 1996
16.3.1	Trends in annual payment for dental services by year and source of payment, 1960-1999
16.3.2	Trends in annual payment for dental services by age and source of payment, 1977, 1987, and 1996
16.3.3	Trends in annual payment for dental services by race/ethnicity and source of payment, 1977, 1987, and 1996
16.3.4	Trends in annual payment for dental services by federal poverty level and source of payment, 1977, 1987, and 1996
16.5.1	Number of dentists and physicians per 100,000 population in 1998 by state 146
16.5.2	Estimates of numbers of dentists by state
17.1.1	Mean work hours lost due to dental visits or oral health problems per 100 employed persons
17.1.2	Mean number of work hours missed by those with missed hours due to a dental visit or oral health problem
17.1.3	Mean school hours lost due to a dental visit or oral health problem per 100 school-aged children
17.1.4	Mean school hours lost due to dental visit or oral health problem per 100 school-aged children among those with missed hours

Oral Health U.S., 2002